

## Claims

1. A resin composition comprising:

5 (A) from 1 to 99% by weight of a copolymer, which comprises an ethylene unit and an  $\alpha$ -olefin unit of 3 to 12 carbon atoms, and

(B) from 99 to 1% by weight of a copolymer, which comprises an ethylene unit and a unit of a compound having a  
10 carbon-carbon double bond and an oxygen atom,

provided that the sum of the copolymer (A) and the copolymer (B) is 100% by weight, wherein the copolymer (A) satisfies the following requirements (A-1) to (A-4), and the copolymer (B) satisfies the following requirements (B-1) and (B-2),

15 (A-1): a melt flow rate (MFR) is from 0.1 to 50 g/10 min,

(A-2): a density ( $d$ ) is from 880 to 935 Kg/m<sup>3</sup>,

(A-3): a composition distribution variation coefficient ( $C_x$ ) represented by the following equation (1) is  
20 not more than 0.5,

$$C_x = \sigma / SCB_{ave} \quad (1)$$

wherein  $\sigma$  is a standard deviation of composition distribution,  
25 and  $SCB_{av}$  is an av rag branching degree ,

(A-4): a content (a) of cold xylene-soluble portion in terms of % by weight based on the weight of the copolymer (A) and the density (d) satisfy the following inequality (2),

5 
$$a < 4.8 \times 10^{-5} \times (950-d)^3 + 10^{-6} \times (950-d)^4 + 1 \quad (2)$$

(B-1): a melt flow rate (MFR) is from 0.01 to 50 g/10 min, and

10 (B-2): a content (b) of a unit of a compound having a carbon-carbon double bond and an oxygen atom in terms of % by weight based on the weight of the sum of the ethylene unit and the unit of a compound having a carbon-carbon double bond and an oxygen atom, and a content (WB) of the copolymer (B) in the resin composition in terms of % by weight based on the weight  
15 of the sum of the copolymer (A) and the copolymer (B) satisfy the following inequality (3),

$$50 > b > 0.2 \times WB + 10 \quad (3).$$

20 2. A film comprising the resin composition according to Claim 1.

3. The film according to Claim 2, wherein a haze value of the film is more than 20%, and a gloss value thereof is less  
25 than 30%.

5     5.     A glove comprising the resin composition according to  
Claim 1.

28